


v 1.2 | October 2023

### The future of screens, made modern.

#### Features

- Solo 3 outdoor is the industry's first architectural design-focused outdoor screen solution, blending seamlessly into today's home designs. Transform your outdoor area into a comfortable, stylish living space
- AC, Low-Voltage, and Solar Rechargeable power options available
- Choose between 9 powder-coated colors or a custom paintable primed option for a perfect color blend
- · Zipper system aids screen stabilization
- Available in 360\* and Maestro White material options
- With a unique snap-in tube and hidden bracket attachment, Solo 3 outdoor installs in half the time of innovative outdoor projection screens
- Optional preconstruction channels allow contractors to fur the track for smooth installation
- System suitable for light wind control and Zipper Tracks dampen optic movement to improve the outdoor viewing experience. Optional anemometer accessory automatically raises the screen in higher winds (RTS only)
- Built-in obstruction detection stops and reverses the Solo 3 Outdoor screen, preventing damage or injury (RTS only)
- Durable operation using outdoor-rated motors and components
- Programmable limits: fine-tune using a remote or through TRO.Y

NOTE: 360 material MUST NOT REMAIN DEPLOYED IN DIRECT SUN light or the elements for prolonged periods. Once the projection is done, retract the screen back into the cassette.



Solo 3 Outdoor Specifications For illustration purposes only


#### Colors

Nine (9) standard powder coat options include: Anthracite, Beach Sand, Carbon, Corten, Dune, Glacier, Granite, Urban Bronze, White Quartz, or primed for exterior paint

#### **Form Factors**

- External Optional Zipper Tracks (360, Maestro)
  Optional Cable Guides (Maestro only)
- Pocket Optional Cable Guides (Maestro only)

#### **Cassette Sizes**



### **Material Options and Sizes**

- · AC-360 (Max height 9', Max Width 16')
- · LV & Solar 360 (Max height 9', Max Width 12')
- AC Maestro (Max Height 10.5, Max Width 16')
- LV & Solar Maestro (Max Height 10.5, Max Width 12')



v 1.2 | October 2023

## **Technical Specifications**

### **Compatible Power Sources**

AC, LV and Solar Rechargeable Power options





110v AC12v DCRTS | 485\*RTSRated Current: 2.1ARated Current: 2.2A

Solar Rechargeable RTS 2.24 Rated Current: 2.2A

\*Contact Design Services

## **Bracket Options (External Mount)**





Wall Mount

Ceiling Mount

## Bracket Options (Pocket Mount)





Jamb Mount

Ceiling Mount


## **Flexible Configuration**

Solo 3 Outdoor screens – Dry Contact Closures, IR, 12v Trigger via Solo Connect, Control4, Crestron SIMPL, Crestron Home, Elan, IP, RTI, Savant, URC, Alexa, Google, Josh via TaHoma

### **Control Options**

- Contact closure (via optional Solo Connect for RTS)
- 12v trigger (via optional Solo Connect for RTS)
- Built-in infrared (via optional Solo Connect for RTS)
- RF Remote (included with RTS)
- RF/485 Keypad (optional)
- IP Control options (via TaHoma/ LinkPro Z)
- Native C4 options (via C4Zigbee)


#### Solar panel





v 1.2 | October 2023

### **Screen Sizes and Measurements**







v 1.2 | October 2023

## Weight Bar and Gasket

# **Cable Guide System**



# **Zipper Tracks**



### Solar Panel

